



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: 3600EX Product Code: EX1, EX2, EX4, EX9
Product Type: Intumescent Sealant Use: Firestopping Sealant
Chemical Family: Organic/Inorganic

Company Address:
Passive Fire Protection Partners
1412 Derwent Way
Delta, BC V3M 6H9
Canada

Contact Information:
Telephone: 800.810.1788
MEDICAL EMERGENCY Phone: Poison Control Center
1-877-671-4608 (toll free) or 1-303-592-1711
TRANSPORT EMERGENCY Phone: CHEMTREC
1-800-424-9300 (toll free) or 1-703-527-3887
Internet: www.firestop.com

SECTION 2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

Physical Hazards: None
Oral: Not Classified
Dermal: Not Classified
Inhalation: Not Classified
Skin Corrosion / Irritation: Not Classified
Serious Eye Damage / Eye Irritation: Not Classified
Respiratory or Skin Sensitization: Not Classified
Germ Cell Mutagenicity: Not Classified
Carcinogenic: Not Classified
Reproductive Toxicology: Not Classified
Target Organ System Toxicity - Single Exposure: Not Classified
Target Organ System Toxicity - Repeated Exposure: Not Classified
Aspiration Toxicity: Not Classified

ENVIRONMENTAL HAZARDS

Hazards to the Aquatic Environment: Not Classified
Acute Aquatic Toxicity: Not Classified
Chronic Aquatic Toxicity: Not Classified
Bioaccumulation Potential: Not Classified
Rapid Degradability: Not Classified

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS:

Hazard Symbols: None
Precautionary Statements:
P102 - Keep Out Of Reach of Children
P264 - Wash Hands Thoroughly After Handling

SDS - 3600EX





Revision Date: 01/06/2015

Version: 1.0

Replaces Version:

**POTENTIAL HEALTH EFFECTS:**

- Inhalation:** May cause irritation to nose and throat.
- Skin contact:** May cause slight irritation to skin.
- Eye contact:** May cause slight irritation to eyes on contact.
- Ingestion:** Not expected to be harmful by ingestion. Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.

**Existing conditions aggravated by exposure:** None known  
This product is consisted hazardous under 29 CFR 1910.1200 (Hazard Communication).  
**See Section 11 for additional toxicological information.**

**SECTION 3. COMPOSITION /INFORMATION ON INGREDIENTS**

Hazardous Components	CAS NUMBER	Percentage %*
Calcuim Carbonate	1314-65-3	< 50
Acrylic Polymer	None known	< 45
Water	7732-18-5	< 25
Graphite	7782-42-5	< 10
Auxiliary Chemicals	N/A	< 10
Iron Red Oxide	1309-37-1	< 1

\* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protection.

**SECTION 4. FIRST AID MEASURES**

- Inhalation:** Move to fresh air in case of accidental inhalation of vapours.
- Skin contact:** Wash affected area immediately with soap and water.
- Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes. If symptoms develop and persist, get medical attention.
- Ingestion:** Consult a physician if necessary.
- Symptoms:** See Section 11.

**SECTION 5. FIRE FIGHTING MEASURES**

- Flash point:** Not applicable
- Autoignition temperature:** Not available
- Flammable / Explosive limits - lower:** Not available
- Flammable / Explosive limits - upper:** Not available
- Extinguishing media:** All standard firefighting procedures
- Special firefighting procedures:** Do not breathe combustion gases. Wear protective equipment
- Unusual fire or explosion hazards:** None known
- Hazardous combustion products:** Carbon Dioxide (CO<sub>2</sub>), Carbon monoxide (CO), Fragmented Hydrocarbons

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

- Environmental precautions:** Do not allow to enter drains, surface or ground water.
- Clean-up methods:** Wipe up spills to prevent footing hazard. Scrape up spilled material and place in a closed container for disposal. Wear appropriate protective equipment and clothing during clean-up.

SDS - 3600EX





## SECTION 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes, skin and clothing. Keep out of the reach of children.

**Storage:** Store between 4°C (40°F) and below 32°C (90°F). Keep from freezing. Store in accordance with local regulations. Store in original container protected from direct sunlight, in a cool, dry area. Keep containers closed when not in use. Do not store in unlabeled containers.

For information on product shelf life, please review labels on containers or check the Technical Data Sheet.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Components	ACGIH	OSHA	AIHA	OTHER
Calcium Carbonate	10 mg/m <sup>3</sup> TWA (total dust)	5 mg/m <sup>3</sup> PEL (respirable fraction) 15 mg/m <sup>3</sup> PEL (total dust)	None	None
Graphite	2 mg/m <sup>3</sup> TWA (respirable fraction)	15 mg/m <sup>3</sup> PEL (total dust)	None	None
Iron Red Oxide	5 mg/m <sup>3</sup> TWA (total dust)	10 mg/m <sup>3</sup> TWA (fume)	None	None

**Engineering controls:** Use general ventilation and use local exhaust, where possible, in confined or enclosed space.

**Respiratory protection:** Not normally required. Use NIOSH approved respirator if there is potential to exceed exposure limit(s).

**Eye / Face protection:** Safety goggles or safety glasses with side shields.

**Skin protection:** Chemical resistant, impermeable gloves; Neoprene, Butyl-rubber, or Nitrile-rubber gloves.





Revision Date: 01/06/2015

Version: 1.0

Replaces Version:

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Pasty
<b>Color:</b>	Red
<b>Odor:</b>	Mild, aromatic
<b>Odor threshold:</b>	Not available
<b>pH:</b>	8.0 - 9.0
<b>Vapor pressure:</b>	18.52 mm Hg
<b>Boiling point/range:</b>	> 100°C (> 212°F)
<b>Melting point/range:</b>	Not available
<b>Specific gravity:</b>	1.40 - 1.50 at 25°C (77°F)
<b>Vapor density:</b>	Heavier than air, (Air = 1)
<b>Flash point:</b>	Not applicable
<b>Flammable / Explosive limits - lower:</b>	Not applicable
<b>Flammable / Explosive limits - upper:</b>	Not applicable
<b>Autoignition temperature:</b>	Not applicable
<b>Evaporation rate:</b>	< 1
<b>Solubility in water:</b>	Not applicable
<b>Partition coefficient (n-octanol/water):</b>	Not applicable
<b>VOC content:</b>	37.1 g/l (calculated)

## SECTION 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable under normal conditions of storage and use.
<b>Hazardous reactions:</b>	Not applicable
<b>Hazardous decomposition products:</b>	Carbon Dioxide, Carbon Monoxide
<b>Incompatible materials:</b>	Strong Alkalis and Mineral acids.
<b>Reactivity:</b>	Not applicable
<b>Conditions to avoid:</b>	Do not freeze

## SECTION 11. TOXICOLOGICAL INFORMATION

**Relevant Routes of Exposure:** Inhalation, Skin Contact, Eyes, Ingestion

### Potential Health Effects / Symptoms

<b>Inhalation:</b>	May cause irritation to nose and throat
<b>Skin contact:</b>	May cause slight irritation of skin.
<b>Eye contact:</b>	May cause slight irritation to eyes on contact.
<b>Ingestion:</b>	Not expected to be harmful by ingestion. Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea and diarrhea.

Hazardous Components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Calcium Carbonate	No	No	No
Iron Red Oxide	No	No	No

Hazardous Components	Health Effects / Target Organs
Calcium Carbonate	No Data
Iron Red Oxide	No Data

SDS - 3600EX





## SECTION 12. ECOLOGICAL INFORMATION

Ecological information: Not applicable

## SECTION 13. DISPOSAL CONSIDERATIONS

**Information provided is for unused product only:**

**Recommend method of disposal:** Dispose should be in accordance with applicable regional, national, Federal, State and local governmental regulations.

**Waste disposal:** The generation of waste should be avoided or minimized wherever possible. Empty containers may retain some product residues. This material and its containers must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product should at all times must comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Hazardous waste number:** It is the responsibility of the user to determine if an item is hazardous as defined in the Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics of the Toxicity Characteristics Leaching Procedure (TCLP) 40 CFR 261.20-24.

## SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	Proper Shipping Name	Classes	PG*	Label	Additional Information
DOT Classification	Not regulated	-	-	-	-	-
TDG Classification	Not regulated	-	-	-	-	-
Mexico Classification	Not regulated	-	-	-	-	-
ADR / RID Class	Not regulated	-	-	-	-	-
IMDG Class	Not regulated	-	-	-	-	-
IATA-DGR Class	Not regulated	-	-	-	-	-

**U.S. Department of Transportation Ground (49 CFR)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**International Air Transportation (ICAO/IATA)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**Water Transportation (IMO/IMDG)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**SDS - 3600EX**





## SECTION 15. REGULATORY INFORMATION

### United States Regulatory Information

<b>TSCA 8 (b) Inventory Status:</b>	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory
<b>TSCA 12 (b) Export Notification:</b>	None above reporting de minimus
<b>CERCLA / SARA Section 302 EHS:</b>	None above reporting de minimus
<b>CERCLA / SARA Section 311/312:</b>	Immediate health
<b>CERCLA / SARA 313:</b>	None above reporting de minimus
<b>California Proposition 65:</b>	No California Proposition 65 listed chemicals are known to be present. No California Proposition 65 listed chemicals are known to be present

### Canada Regulatory Information

<b>CEPA DSL / NDSL Status:</b>	All components are listed on or exempt from listing on the Canadian Domestic Substances List.
<b>WHMIS hazard class:</b>	Not controlled

## SECTION 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections:

**Prepared by:** Chemical Laboratory

**Issue date:** June 1, 2015

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, PFP Partners does not assume responsibility for any results obtained by persons over whose methods PFP Partners has no control. It is the user's responsibility to determine the suitability of PFP Partners's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of PFP Partners's products. In light of the foregoing, PFP Partners specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of PFP Partners's products. PFP Partners further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

