

OSHA Haz Com Standard 29 CFR 1910.1200.

Version: 1.0 Revision Date: 01/06/2015 Replaces Version:

#### SECTION 1: PRODUCT AND COMPANY INDENTIFICATION

Product Code: FCW-44FWB, FCW-44FWC **Product Name:** FCW-44

**Product Type:** Firestop Cable Ways Use: Firestopping voids, single and multiple electrical cable penetrations

**Chemical Family:** Organic/Inorganic

**Contact Information:** Company Address: Passive Fire Protection Partners Telephone: 800.810.1788

MEDICAL EMERGENCY Phone: Poison Control Center 1412 Derwent Way

1-877-671-4608 (toll free) or 1-303-592-1711 Delta, BC V3M 6H9 Canada TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.firestop.com

## SECTION 2. HAZARDS IDENTIFICATION

## **GHS CLASSIFICATION**

Not Applicable:

According to REACH Reg. (EC) No. 1907/2006 the product is declared as an article and is not subject to the provisions of classification according to CLP Regulation (EC) No. 1272/2006. Directive 67/548/EC or Directive 1999/45/EC.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS:

**Hazard Symbols:** None

**Precautionary Statements:** 

P102 - Keep Out Of Reach of Children P264 - Wash Hands Throughly After Handling

OTHER HAZARDS:

Dust may cause irritation of eyes and respiratory tract by mechanical friction. Occupational

exposure limits are to be observed.

## **SECTION 3. COMPOSITION /INFORMATION ON INGREDIENTS**

#### **CHEMICAL CHARACTERIZATION**

The WS1 - is a graphite based intumescent fire protection laminate.

Carrier material: Glass fibre mat Solid, flexible Appearance: Form of delivery: Strips and rolls Thickness: 2.5 mm (0.1 in)

According to United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard) and under Canadian Regulations (Workplace Hazardous Materials Information System (WHMIS) - Hazardous Products Act (HPA), Section 11(1)) this product is declared as an article.

The article does not contain any substances in concentrations of ≥ 0.1% listed on the candidate of list of Substances of Very High Concern (SVHC).

This article is free of organic solvents.




Recycled

Recyclable

# SDS - FCW-4

# Safety Data Sheet (SDS)

OSHA Haz Com Standard 29 CFR 1910.1200.





## **SECTION 4. FIRST AID MEASURES**

**Description of first aid measures:** Under normal handling conditions the product presents no significant health hazards. In

any cases of doubt seek medical advice.

General rule: Seek medical advice if symptoms occur. Never give anything by mouth to an

unconscious person or a person with cramps.

In case of inhalation of dust: Provide fresh air. Consult a physician if symptoms occur. If unconscious place and

transport in recovery position.

In case of skin contact: Wash affected area immediately with soap and water. Consult a physician.

In case of eye contact: Small particles can cause an irritation by mechanical friction. In case of contact with

eyes immediately flush eyes with plenty of water for at least 15 minutes. If symptoms

develop and persist, get medical attention.

In case of ingestion: Rinse mouth thoroughly with cold water. Avoid vomiting. Give plenty of water. Call a

physician if discomfort persists.

Symptoms: No information available.

Medical attention and special Depending on the condition of the patients, the doctor must assess the symptoms and

treatment need: the overall general conditions.

## **SECTION 5. FIRE FIGHTING MEASURES**

Reaction to fire: B1, slowly combustible

**Extinguishing media:** CO<sub>2</sub>, Dry powder, water spray

Fight larger fires with water jet or alcohol-resistant foam.

Special fire fighting procedures: Do not breathe combustion gases. Wear protective equipment

Unusual fire or explosion hazards: None known

Hazardous combustion products: Carbon Dioxide (CO<sub>2</sub>), Phosphorus Oxides (PO<sub>3</sub>)

Material intumesces at approximately 190°C (374°F)

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal protection: No special measures required

**Environmental precautions:** Do not allow to enter dust into surface water or drains.

Clean-up methods: Treat the recovered material as prescribed in the section on waste disposal (Section 13).

## **SECTION 7. HANDLING AND STORAGE**

Handling: Observe protective measures and safety instructions. Avoid generation of dust.

**Storage:** Store in a cool, dry and well ventilated area. Protect from frost and heat. Keep away

form food and animal feeding stuffs. Keep away from children. Observe official regulations. Store at room temperature. Store in original container protected from direct sunlight, in a cool, dry area. Keep containers closed when not in use. Do not store in

unlabeled containers.

Recycled Recyclable

1.800.810. 1.800.810.

1.800.810.1788 Technical Support 1.800.810.1788 Customer Service www.firestop.com email: firestop@firestop.com



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015 Version: 1.0 Replaces Version:

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

			TMW/KZW*			
Name	CAS#		[ppm]	[mg/m³]	Notes	Duration [min]
Graphite	7782-42-5	MAK		5A / 10A		2x60[Miw]
Bilog. inert suspeded particles		MAK		10E / 20E 5A / 10A		

\*TMW Daily average value KZW Short-time value

Miw Average

E Breathable fraction H Special danger of skin resorption.

A Alveolar fraction S Substance causes allergic reactions at a level that is

above average.

**Exposure control:** When handling with chemical substances observe usual precautionary measures:

Keep away of foods and drinks.

When using do not eat, drink, smoke, sneeze. Wash hands after working with

product.

Do avoid contact with skin and eyes. Avoid breathing dust. Change contaminated clothing and wash before reuse.

Protective Use general ventilation and use local exhaust, where possible, in confined or

enclosed space.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Respiratory protection: Not normally required. Use NIOSH approved respirator if there is potential to exceed

exposure limit(s).

**Eye / Face protection:** Safety goggles or safety glasses with side shields.

Skin protection: Chemical resistant, impermeable gloves; Neoprene, Butyl-rubber, or Nitrile-rubber

gloves are recommended. The selection of suitable gloves depends not only on the material, but also on other quality characteristics. Breakthrough times and swelling

properties of the material must be taken into consideration.

Body protection: Working clothes

Environmental exposure control

measures:


Do not allow to enter dust into surface water or drains.

E

Recycled

Recyclable

OSHA Haz Com Standard 29 CFR 1910.1200.





## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state: Solid, flexible

Color: Grey

Odor: Approximately none
Odor threshold: No information available

pH: N.A

Melting point/range: No information available Boiling point/range: No information available Flash point: No information available Flammable (solid, gas): No information available Upper explosive limits: No information available Lower explosive limits: No information available Vapor pressure: No information available Density @ 20°C (68°F): ca. 1.2 g/cm3 (74.9 pcf) Solubility in water: Almost insoluble

Partition coefficient (n-octanol/water): No information available Ignition temperature: No information available Decomposition temperature: No information available Viscosity: No information available

**Explosive properties:** The product itself is not explosive. During formation of dust, danger of dust explosion.

Other information:

**Reaction to fire:**B1, slowly combustible **Expansion temperature:**Approximately 190°C (374°F)

Thermal conductivity: 0.238 W/mk

For further specifications see technical data sheet

## **SECTION 10. STABILITY AND REACTIVITY**

**Reactivity:** No hazardous reactions known if used as prescribed.

Chemical stability: Stable under normal conditions. Material intumesces at approximately 190°C (374°F)

Possibility of hazardous reactions: No data available.

Conditions to avoid: Avoid high temperatures and generation of dust.

Incompatible materials: No data available.

Hazardous decomposition products: No further information available.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects: Toxicological data for the product are not available

LD<sub>50</sub> values of single components relevant for classification:

No data available

Irritation and corrosive effects: Skin: not irritant

Eyes: not irritant - dust can cause irritation by mechanical friction.

Respiratory tract: inhalation of dust can cause irritation by mechanical friction.

The material contains a substance which is classified as skin sensitizing. The

substance is embedded in a polymer matrix, thereby sensitization is not expected.

None of the substances in this product are listed as carcinogens by the International

Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the

 $\label{thm:eq:american conference} American \ Conference \ of \ Government \ Industrial \ Hygienists \ (ACGIH).$ 

Recycled Recyclable

Sensitization:

Carcinogenicity:



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015 Version: 1.0 Replaces Version:

Mutagenicity The product does not contain any ingredients in a concentration of equal or higher than

0.1%, which are classified as mutagen.

Reproductive toxicity: The product does not contain any ingredients in a concentration of equal or higher than

0.1%, which are classified as toxic for reproduction.

Other information: According to REACH Reg. (EC) No. 1907/2006 the product is declared as an article and

is not subject to the provisions of classification and labeling.

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity: No ecotoxicity studies have been conducted on this product. According to REACH

Reg. (EC) No. 1907/2006 the product is declared as an article and is not subject to the

provisions of classification and labeling.

Aquatic toxicity of ingredients: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

Results of PBT and vPvB

Other adverse effects:

assessment:

No data available for this product

Do not allow to enter dust into surface water or drains.

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### Information provided is for unused product only:

Recommend method of disposal: Dispose should be in accordance with applicable regional, national, Federal, State and

local governmental regulations.

Waste disposal: The generation of waste should be avoided or minimized wherever possible. Empty

containers may retain some product residues. This material and its containers must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product should at all times must comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers.

Hazardous waste number: It is the responsibility of the user to determine if an item is hazardous as defined in the

Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics of the

Toxicity Characteristics Leaching Procedure (TCLP) 40 CFR 261.20-24.

## **SECTION 14. TRANSPORT INFORMATION**

Regulatory Information	UN Number	Proper Shipping Name	Classes	PG*	Label	Additional Information
DOT Classification	Not regulated	-	-	-	-	-
TDG Classification	Not regulated	-	-	-	-	-
Mexico Classification	Not regulated	-	-	-	-	-
ADR / RID Class	Not regulated	-	-	-	-	-
IMDG Class	Not regulated	-	-	-	-	-
IATA-DGR Class	Not regulated	-	-	-	-	-

#### **U.S. Department of Transportation Ground (49 CFR)**

Proper shipping name: Not regulated

Hazard class or division: None Identification number: None




Recycled

Recyclable

# Safety Data Sheet (SDS)

OSHA Haz Com Standard 29 CFR 1910.1200.





None Packing group:

International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated

Hazard class or division: None Identification number: None Packing group: None

Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated

Hazard class or division: None Identification number: None Packing group: None

## **SECTION 15. REGULATORY INFORMATION**

**United States Regulatory Information** 

All components are listed or are exempt from listing on the Toxic Substances Control Act TSCA 8 (b) Inventory Status:

TSCA 12 (b) Export Notification: None above reporting de minimus **CERCLA / SARA Section 302 EHS:** None above reporting de minimus

CERCLA / SARA Section 311/312: Immediate health

CERCLA / SARA 313: None above reporting de minimus

California Proposition 65: No California Proposition 65 listed chemicals are known to be present. No California

Proposition 65 listed chemicals are know to be present

**Canada Regulatory Information** 

CEPA DSL / NDSL Status: All components are listed on or exempt from listing on the Canadian Domestic

Substances List.

WHMIS hazard class: Not controlled

## SECTION 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections:

Prepared by: **Chemical Laboratory** Issue date: June 1, 2015

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, PFP Partners does not assume responsibility for any results obtained by persons over whose methods PFP Partners has no control. It is the user's responsibility to determine the suitability of PFP Partners' products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of PFP Partners' products. In light of the foregoing, PFP Partners specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of PFP Partners' products. PFP Partners further disclaims any liability for consequential or incidental damages of any kind, including lost profits.



1.800.810.1788 Technical Support 1.800.810.1788 Customer Service

www.firestop.com email: firestop@firestop.com